

NovaHemp LLC

 3610 Pineland Rd
 Gladwin, MN 48624
 novahemp1@gmail.com
 (989) 578-0062

Sample: 2507AIT0615.1124

Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 07/25/2025; Report Created: 08/22/2025

CBD Pet Oil 250mg

Ingestible, Tincture



<LOQ

<LOQ

<LOQ

Total THC

1.048 %

 314.5 mg/container
 10.5 mg/serving

Total CBD

1.048%

 314.5 mg/container
 10.5 mg/serving

Total Cannabinoids

Cannabinoids

Date Tested: 07/25/2025

Analytes	%	mg/g	mg/ml	mg/serving	LOQ
CBC	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBD	1.048	10.482	10.482	10.482	0.001
CBDa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBDV	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBG	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBGa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBL	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBN	<LOQ	<LOQ	<LOQ	<LOQ	0.001
Δ8-THC	<LOQ	<LOQ	<LOQ	<LOQ	0.001
Δ9-THC	<LOQ	<LOQ	<LOQ	<LOQ	0.001
THCa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
THCVa	<LOQ	<LOQ	<LOQ	<LOQ	0.001

 Method: HPLC
 Total THC = THCa * 0.877 + Δ9-THC
 Total CBD = CBDa * 0.877 + CBD

 Total Cannabinoids represents the sum of all cannabinoids in the table above.
 Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %
 LOQ = Limit of Quantitation

Summary

 4150 98th Ave S
 Fargo, ND
 (888) 897-4367
 www.hempinspection.com


John Schmidt

Analytical Chemist


 Confident LIMS
 All Rights Reserved
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.